

e-08

INDUSTRIAL TRAINING DEPARTMENTTENDER NOTICE

No: ITI/CKDY/1058/2025-B1

Dt: 06-01-2026

Sealed tenders are invited for supplying the following items for Govt. ITI Chalakudy, Railway Station Road, Chalakudy.P.O, Thrissur, Pin-680 307. The items should be supplied at the store.

Sl No	Name of item	specifications	Quantity
1	Out Side Micro meter 0 - 25 mm least count 0.01mm	Analog Outside micro meter Spindle end tipped with tungsten carbide, Measurement Range (mm): 0-25, Least Count / Resolution: 0.01 milli meter, Accuracy (Maximum error in reading) at 20 deg C (\pm) 0.01 milli meter, Standard accessories: Carrying Case ,instruction booklet, Material of the Fra me: Malleable Cast Iron, Material of the Spindle and Anvil Hardened Stainless Steel	3
2	Hydraulic crimping tool for UG cable crimping with bit s 20 Sq. mm to 250 sq mm	Hydraulic crimping tool for U G cable crimping with bits Type of Product: Hydraulic Wire Terminal Crimper Crimping Range: 16-300mm Size: 16,25,35,50,70, 95,120,150,185,240,300sq.mm Stroke: 20mm, Load Capacity: 16 Ton Rotation: 180°	2
3	Drill bit	Drill bit 6 mm material: Carbide Tipped HSS parallel shunk, Drill Bit Type: Twist Drill	2
		Drill bit 8mm material: Carbide Tipped HSS parallel shunk Drill Bit Type: Twist Drill	2
		Drill bit 10 mm material: Carbide Tipped HSS parallel shunk, Drill Bit Type: Twist Drill	2
4	Crimping tool 25 mm	Crimping tool Crimping Type : Trapezoid, Body Material : Metal, Maximum crimping capacity in Sqmm 50, Minimum crimping capacity in Sqmm : 6 ISI marked	1

5	Crimping tool heavy duty	Crimping tool heavy duty hydra ulic Weight in Kg: 3-3.4, Crimping Type : Hexagon, Body Material: Metal, Stroke : 12 mm, Changeable Die's feature : Yes, Length in mm : 160-200, Maximum crimping capacity in Sqmm: 400, Minimum crimping capacity in Sqmm :16 Crimping Force in newton : 12, Crimping die's provided (mm) 50 , Packing Plastic casing ISI marked	1
6	Crimping tool 9" Hex series	Crimping tool 9" Hex Series Co axial connector crimping tool, Crimping range:6.5, 5.4, 1.72mm/ RG 58,59,62,140,142,303,223,400, fiber optic, belden 8279 cable	2
7	Small crimping tools (assorted) 10 - 100 mm (5 Nos.)	Small Crimping Tools(Assorted):10-100Mm (5Nos) Description: jaw set- carbon steel grade SC M440 Frame: material steel grade S45C Handle: PP for better grip ISI marked	2
8	Crimping tool for telephone/ LAN cable	Crimping tool for telephone/LAN cable Package Content : RJ45 Crimp tool kit Maximum crimping capacity in Sqmm 4, Minimum crimping capacity in Sqmm 0.08, Crimping die's provided (mm) 4, Packing Plastic casing	2
9	Wire stripper 150 mm	Wire stripping Plier (IS 5087) Tool Finish Chemically produced oxide finish, Handle Finish Plastic coated or with plastic sleeves, Electrical insulation Material: Carbon Steel Length in mm: 150	10
10	Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm	Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm Material: vanadium steel	8
11	Centre punch 100 mm	Center punch Conformity to Indian Standard :IS 7177 :1974 or Length of centre punch in mm : 100, Diameter of Tip of Centre punch in mm: 5, Diameter of centre punch body :10, Weight of centre punch in grams :45,Material of Centre punch :Alloy steel	4

12	Pliers side cutting insulated 200 mm	Insulated Side cutting Pliers [I S 4378(Part 1)], Type of Insulation: Rubber Insulation ,Electrical insulation : yes, Material : Alloy Steel, Length of Hand Tool in mm	10
13	Pliers flat nose insulated 150 mm	Pliers flat nose 150 mm insulate d heavy skin pack Material : Alloy Steel [IS 4378 (Part 1)]	10
14	Pliers round nose insulated 200 mm	Pliers Round nose 200 mm insulated heavy skin pack [IS 4378 (Part 1)) Material : Alloy Steel	10
15	Pliers long nose insulated 200 mm	Long nose pliers Length: 200 milli meter, Tested: upto 1000VAC and 1500VDC, Material: Chrome -vanadium steel [IS 4378 (Part 1)]	5
16	Screw driver heavy duty 200 mm	Screw driver heavy duty Conformity to Standards IS : 844 Part 1 and Part II latest, Electricians Screwdrivers Tip Size (a x b) in mm x mm: 1.6 x 10.0 Shape of Blade: Round Length of Blade in mm :2 00, Insulation on Blade: Yes Length of Handle in mm: 110	2
17	Screw driver heavy duty 300 mm	Screw driver heavy duty Conformity to Standards IS : 844 Part 1 and Part II latest Electricians Screwdrivers Tip Size (a x b) in mm x mm: 2 x 13.0 Shape of Blade: Round Length of Blade in mm :3 00, Insulation on Blade: Yes Length of Handle in mm: 110	5
18	Gauge, wire imperial stainless steel marked in SWG & mm Wire Gau ge - Metric	Standard Wire Gauge Material: Stainless Steel Measuring Range: 0 to 36 swg and diameter in mm	5
19	Hammer cross Pe en 0.5 kg	Hammer cross Peen with woden handle weight 0.5 kg Grade of Material (Steel) T50 Material of Handles :Wood ,Conformity to Indian Standard IS 841:1983	9
	Rawal tool holder & Bit No. 8, 10,	Rawal tool holder & Bit No. 8, 10, 14, & 16 Material: carbon ste el, fully heat-treated and	

20	14, & 16	zinc plated. ISI Marked	3
21	Scriber 150 mm	Scriber 150 mm Material : Cast Steel Double ended - one straight point & other bent at 90° Points are hardened 55 - 60 HRC	4
22	File flat 300 mm rough	File flat 300 mm rough with hand le IS 1931-2000	6
23	File flat round 150 mm smooth	File flat round 150 mm smooth with handle IS 1931-2000	10
24	File round 300 m m 2 nd cut	File round 300 mm 2nd cut with handle IS 1931-2000	7
25	File triangular 150 mm 2 nd cut	File triangular 150 mm 2nd cut with handle IS 1931-2000	10
26	Spanner set of 6	Double ended metric Spanner 6 mm to 32mm set of 12 nos Made of forged chrome steel. Set of 6 mm to 32 mm sizes 18x19, 20x22 , 21x23, 24x27, 25x28, 30x32 - Should confirm IS 2028:2004	3
27	Adjustable spanner 300 mm	Adjustable spanner Material: Forged with high grade steell ,size 300 mm IS 6149-1984 Grade II	2
28	Foot print Grip 250 mm	Foot print Grip 250 mm Material: Alloy Steel Adjustable tool precision milled and hardened teeth , pressed steel frame with hardened fulcrum bolt, jaw adjustment 1/16" to 3"	4
29	Spirit level 300 mm	Spirit level: Type of Product: I Beam Spirit Level Magnetic, Material: Aluminium, Accuracy 0.5 mm, Length of spirit level (in mm): 300, Width of spirit level (in mm): 50	3

30	Electric soldering iron 125 watts 230-250 V	Electric soldering iron with stand: 125 W, 240V ,Temperature Range: 350 Degree C - 450 Degree C Frequency: 50Hz , Cord Length: 1.5 m Handle: Plastic with rubber grip	1
31	Forge with hand blower	Forge with hand blower Blower Specification 6" casing, Cast iron gear 1:28 Gear ratio 1-4/5" outer dia. for outlet , Ground steel worm shaft Furnace Specification Cast Iron Furnace, Bowl size - 7.5 Inch, Length - 15 Inch, Height - 8 Inch, Weight - 10 kg	2
32	Hand vice 50 mm jaw	Hand vice , 50 mm jaw, cast iron	8
33	Scissors blade, S S 200 mm	Scissors blade, SS Material of Blade: Stainless Steel ,Handle Material: Plastic Blade Length: 200 milli meter Blade Thickness (mm) 2.5	2
34	Scissors blade, S S 150 mm	Scissors blade, SS Material of Blade: Stainless Steel, Handle Material: Plastic Blade Length: 150 milli meter Blade Thickness (mm) 2.5	2
35	Trowel 150 mm	Trowel: Type of trowel: Pointed, Material of Blade: Steel, Material of Tang: High tensile steel, Material of Handle: Phenolic moulding material, Overall Length of Handle (in mm): 150, Material Coating of Blade: Hard chromium Hardness of Trowel Blade (in HRC) 50- 55	4

The tender should be superscribed as "Govt. ITI Chalakudy Wireman trade General Tools (Mechanical, Electrical & Special", Tender Number and addressed to the Principal, Govt.ITI Chalakudy, Thrissur -680 307. More details can be had from the office on all working days at prescribed office hours.

Tender Notice Number : ITI/CKDY/1058/2025-B1

Cost of Tender Form :0.20 % of Tender amount (Rounded

to the nearest multiples of 100) (
Minimum of ₹ 500/- & Max: 1,500/-

)

+ GST 18%
EMD : 1 % of total cost
Last date of sale of tender form : 29 / 01 /2026 3 PM
Last date of receipt of tender : 30 / 01/2026 3 PM
Date & time of opening of tender : 30 / 01 /2026 4 P M

Those who wish to get the tender forms by post should sent an extra amount of ₹100/- by way of money order. No other form of remittance will be accepted. Tenderer should send along with this tender should accompanied by an agreement in ₹200/-Kerala stamp paper . Warranty/Guaranty of the items should be mentioned in tender. The rate of items should be valid till 08/04/2026. The tenders are not transferable.

Principal

Signed by Sindu Paul

Date: 06-01-2026 17:11:13

m-16

വ്യാവസായിക പരിശീലന വകുപ്പ്

ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/CKDY/1058/2025-B1

തീയതി: 06-01-2026

തൃശ്ശൂർ ജില്ലയിലെ, ചാലകുടി ഗവ. ഐ.ടി.ഐ യിലെ വയർമാൻ (Wireman) ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസൂകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ ചാലകുടി ഗവ. ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

ക്രമ നമ്പർ	സാധനങ്ങളുടെ പേര്	സ്പെസിഫിക്കേഷൻ	എണ്ണം
1	Out Side Micro meter 0 - 25 mm least count 0.01mm	Analog Outside micro meter Spindle end tipped with tungsten carbide, Measurement Range (m m):0-25, Least Count / Resolution:0.01 milli meter, Accuracy (Maximum error in reading) at 20 deg C (\pm) 0.01 milli meter, Standard accessories: Carrying Case ,instruction booklet, Material of the Fra me: Malleable Cast Iron, Material of the Spindle and Anvil Hardene d Stainless Steel	3
2	Hydraulic crimping tool for UG cable crimping with bits 20 Sq. mm to 250 sq mm	Hydraulic crimping tool for U G cable crimping with bits Type of Product: Hydraulic Wire Terminal Crimper Crimping Range: 16-300mm ² Size: 16,25,35,50,70, 95,120,150,185,240,300sq.mm Stroke: 20mm, Load Capacity: 16 Ton Rotation: 180°	2
3	Drill bit	Drill bit 6 mm material: Carbide Tipped HSS parallel shunk, Drill Bit Type: Twist Drill	2
		Drill bit 8mm material: Carbide Tipped HSS parallel shunk Drill Bit Type: Twist Drill	2
		Drill bit 10 mm material: Carbide Tipped HSS parallel shunk, Drill Bit Type: Twist Drill	2
4	Crimping tool 25 mm	Crimping tool Crimping Type : Trapezoid, Body Material : Metal, Maximum crimping capacity in Sqmm 50, Minimum crimping capacity in Sqmm : 6 ISI marked	1

5	Crimping tool heavy duty	Crimping tool heavy duty hydraulic Weight in Kg: 3-3.4, Crimping Type : Hexagon, Body Material: Metal, Stroke : 12 mm, Changeable Die's feature : Yes, Length in mm : 160-200, Maximum crimping capacity in Sqmm: 400, Minimum crimping capacity in Sqmm :16 Crimping Force in newton : 12, Crimping die's provided (mm) 50 , Packing Plastic casing ISI marked	1
6	Crimping tool 9" Hex series	Crimping tool 9" Hex Series Co axial connector crimping tool, Crimping range:6.5, 5.4, 1.72mm/ RG 58,59,62,140,142,303,223,400, fiber optic, belden 8279 cable	2
7	Small crimping tools (assorted) 10 - 100 mm (5 Nos.)	Small Crimping Tools(Assorted):10-100Mm (5Nos) Description: jaw set- carbon steel grade SC M440 Frame: material steel grade S45C Handle: PP for better grip ISI marked	2
8	Crimping tool for telephone/ LAN cable	Crimping tool for telephone/LAN cable Package Content : RJ45 Crimp tool kit Maximum crimping capacity in Sqmm 4, Minimum crimping capacity in Sqmm 0.08, Crimping die's provided (mm) 4, Packing Plastic casing	2
9	Wire stripper 150 mm	Wire stripping Plier (IS 5087) Tool Finish Chemically produced oxide finish, Handle Finish Plastic coated or with plastic sleeves, Electrical insulation Material: Carbon Steel Length in mm: 150	10
10	Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm	Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm Material: vanadium steel	8
11	Centre punch 100 mm	Center punch Conformity to Indian Standard :IS 7177 :1974 or Length of centre punch in mm : 100, Diameter of Tip of Centre punch in mm: 5, Diameter of centre punch body :10, Weight of centre punch in grams :45,Material of Centre punch :Alloy steel	4
12	Pliers side cutting insulated 200 mm	Insulated Side cutting Pliers [IS 4378(Part 1)], Type of Insulation: Rubber Insulation ,Electrical insulation : yes, Material : Alloy	10

		Steel, Length of Hand Tool in mm	
13	Pliers flat nose insulated 150 mm	Pliers flat nose 150 mm insulated heavy skin pack Material : Alloy Steel [IS 4378 (Part 1)]	10
14	Pliers round nose insulated 200 mm	Pliers Round nose 200 mm insulated heavy skin pack [IS 4378 (Part 1)] Material : Alloy Steel	10
15	Pliers long nose insulated 200 mm	Long nose pliers Length: 200 milli meter, Tested: upto 1000VAC and 1500VDC, Material: Chrome-vanadium steel [IS 4378 (Part 1)]	5
16	Screw driver heavy duty 200 mm	Screw driver heavy duty Conformity to Standards IS : 844 Part 1 and Part II latest, Electricians Screwdrivers Tip Size (a x b) in mm x mm: 1.6 x 10.0 Shape of Blade: Round Length of Blade in mm :2 00, Insulation on Blade: Yes Length of Handle in mm: 110	2
17	Screw driver heavy duty 300 mm	Screw driver heavy duty Conformity to Standards IS : 844 Part 1 and Part II latest Electricians Screwdrivers Tip Size (a x b) in mm x mm: 2 x 13.0 Shape of Blade: Round Length of Blade in mm :3 00, Insulation on Blade: Yes Length of Handle in mm: 110	5
18	Gauge, wire imperial stainless steel marked in SWG & mm Wire Gauge - Metric	Standard Wire Gauge Material: Stainless Steel Measuring Range: 0 to 36 swg and diameter in mm	5
19	Hammer cross Peen 0.5 kg	Hammer cross Peen with woden handle weight 0.5 kg Grade of Material (Steel) T50 Material of Handles :Wood ,Conformity to Indian Standard IS 841:1983	9
20	Rawal tool holder & Bit No. 8, 10, 14, & 16	Rawal tool holder & Bit No. 8, 10, 14, & 16 Material: carbon steel, fully heat-treated and zinc plated. ISI Marked	3
21	Scriber 150 mm	Scriber 150 mm Material : Cast Steel Double ended - one straight point & other bent at 90° Points are hardened 55 - 60 HRC	4

22	File flat 300 mm rough	File flat 300 mm rough with hand le IS 1931-2000	6
23	File flat round 150 mm smooth	File flat round 150 mm smooth with handle IS 1931-2000	10
24	File round 300 mm 2 nd cut	File round 300 mm 2nd cut with handle IS 1931-2000	7
25	File triangular 150 mm 2 nd cut	File triangular 150 mm 2nd cut with handle IS 1931-2000	10
26	Spanner set of 6	Double ended metric Spanner 6 mm to 32mm set of 12 nos Mad e of forged chrome steel. Set of 6 mm to 32 mm sizes 18x19, 20x22 , 21x23, 24x27, 25x28, 30x32 - Should confirm IS 2028:2004	3
27	Adjustable spanner 300 mm	Adjustable spanner Material: Forged with high grade steell ,size 3 00 mm IS 6149-1984 Grade II	2
28	Foot print Grip 250 mm	Foot print Grip 250 mm Material: Alloy Steel Adjustable tool precision milled and hhardened teeth , pressed steel frame with hardened fulcrum bolt, jaw adjustment 1/ 16" to 3"	4
29	Spirit level 300 mm	Spirit level: Type of Product: I Beam Spirit Level Magnetic, Material: Aluminium, Accuracy 0.5 m m, Length of spirit level (in mm): 300, Width of spirit level (in m m): 50	3
30	Electric soldering iron 125 watts 230-250 V	Electric soldering iron with stand: 125 W, 240V ,Temperature Range: 350 Degree C - 450 Degree C Frequency: 50Hz , Cord Length: 1.5 m Handle: Plastic with rubber grip	1
31	Forge with hand blower	Forge with hand blower Blower Specification 6" casing, Cast iron gear 1:28 Gear ratio 1-4/5" outer dia. for outlet , Ground steel worm shaft Furnace Specification Cast Iron Furnace, Bowl size - 7. 5 Inch, Length - 15 Inch, Height - 8 Inch, Weight - 10 kg	2

32	Hand vice 50 mm jaw	Hand vice , 50 mm jaw, cast iron	8
33	Scissors blade, S S 200 mm	Scissors blade, SS Material of Blade: Stainless Steel ,Handle Mate rial: Plastic Blade Length: 200 milli meter Blade Thickness (mm) 2. 5	2
34	Scissors blade, S S 150 mm	Scissors blade, SS Material of Blade: Stainless Steel, Handle Material: Plastic Blade Length: 150 milli meter Blade Thickness (mm) 2. 5	2
35	Trowel 150 mm	Trowel: Type of trowel: Pointed, Material of Blade: Steel, Material of Tang: High tensile steel, Material of Handle: Phenolic moulding material, Overall Length of Hand le (in mm): 150, Material Coating of Blade: Hard chromium Hardness of Trowel Blade (in HRC) 50- 55	4

ദർഘാസ് നമ്പർ : ITI/CKDY/1058/2025-B1

ദർഘാസ് വില : ടെണ്ടർ തുകയുടെ 0.20 %ത്തെ 100ൻറെ

ഏറ്റവും അടുത്ത ഗുണിതത്തിലേക്ക്

നിജപ്പെടുത്തിയ തുക (കറഞ്ഞത് -500

രൂപ ,പരമാവധി -1,500 രൂപ) + ജി.എസ്.ടി

18%

നിരത ദ്രവ്യം : മൊത്ത വിലയുടെ 1 % ടെണ്ടറിൻറെ കൂടെ

വക്കേണ്ടതാണ്.

ദർഘാസ് വില്പനയുടെ അവസാന തിയതി സമയം : 29 . 01 . 2026

മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന

തിയതി, സമയം : . 30.01.2026 - 3 PM

ദർഘാസുകൾ തുറക്കുന്ന തീയതി, സമയം : 30.01.2026 - 4 PM

സ്ഥലം : ഗവ. ഐ ടി ഐ ചാലക്കുടി

ദർഘാസു വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 100/- (നൂറ്) രൂപ മാത്രം ദർഘാസു വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെൻ ഡറിനോടൊന്നിച്ച് സമർപ്പിക്കേണ്ടതാണ് ടെണ്ടർ തുകയുടെ 5% സെക്യൂരിറ്റി ഡെപ്പോസിറ്റ് എന്നിവ ടെണ്ടർ അംഗീകരിക്കുന്ന മുറയ്ക്ക് സമർപ്പിക്കേണ്ടതാണ്. ഇനങ്ങളുടെ വാറന്റി /ഗ്യാരണ്ടി സംബന്ധിച്ച് ടെണ്ടറിൽ സൂചിപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് 08/04.2026 തീയതി വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസു പ്രമാണം കൈ മാറാൻ പാടില്ല . ദർഘാസു നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. ഐ.ടി.ഐ ചാലക്കുടി, ചാലക്കുടി പി ഒ, തൃശ്ശൂർ 680 307 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

പ്രിൻസിപ്പാൾ

Signed by Sindu Paul
Date: 06-01-2026 17:12:38

ഗവ.ഐ.ടി.ഐ ചാലക്കുടി
ചാലക്കുടി.പി.ഒ.തൃശ്ശൂർ -680307
കേരള;

ഇ-മെയിൽ : coe.itichalakudy@gmail.com

ITI/CKDY/1058/2025-B1

തീയതി: 07-01-2026

ദർഘാസ് പരസ്യം

ഈ സമാപനത്തിലെ വയർമാൻ ട്രേഡിലേക്ക് General Tools വിതരണം നടത്താൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മൂദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ടെണ്ടർ നമ്പരും ടെണ്ടർ തുറക്കുന്ന തീയതിയും അടങ്കൽ തുകയും	സാധന സാമഗ്രികൾ	ഒറിജിനൽ ഫാറത്തിന്റെ വില	പകർപ്പിന്റെ വില
1	2	3	4	5
1	ITI/CKDY/1058/2025-B1 @ 30/01 /2026, 4 P M Rs. 2,10,070/-	General Tools	Rs.500/- + GST @ 18%	Rs.250/- + GST@18%

നിരത ദ്രവ്യം : Rs.2,101/- (ടെണ്ടർ തുകയുടെ 1 %)

ടെണ്ടർ ഫോറം വിൽപ്പനക്ക്

ലഭിക്കുന്ന സ്ഥലം

ചാലക്കുടി.പി.ഒ

: ഗവ. ഐ.ടി.ഐ ചാലക്കുടി,

തൃശ്ശൂർ, 680 307, കേരള.

മൊത്തം അടങ്കൽതുക

:2,10,070/-

പ്രിൻസിപ്പാൾ

Tender No: ITI/CKDY/1058/2025-B1 for the purchase of General Tools in Wireman Trade at Govt ITI Chalakudy, Chalakudy PO, Thrissur.

Cost of original form of Tenders

: Rs. 500/- + GST @18%

Cost of duplicate form of tenders

: Rs. 250/- + GST @ 18%

Due date for the opening of tenders

: 30/ 01/2026, 04.00 p.m

Due date for the receipt of tenders : 30/ 01/2026, 03.00 p.m

Date up to which the rates are to be remained same : 08/ 04/ 2026

Name and designation of the officer to whom the

The tenders are to be submitted

: Smt. Sindu paul, Principal,
Govt.ITI Chalakudy

Name of Office

: Government ITI Chalakudy,
Thrissur.

Name of Items

: General Tools

Principal

Signed by Sindu Paul

Date: 07-01-2026 13:18:46