

INDUSTRIAL TRAINING DEPARTMENT
TENDER NOTICE

e-26

No:ITI/NGLY/261/2025-B

Dated:11/02/2026


Sealed competitive tenders are invited for supplying the following items for Govt.ITI Nagalassery, Velliyamkallu,Thrithala .P.O,Palakkad,Pin-679534. The Items should be supplied at the store.

Sl.No	Name of items and specifications	Quantity
1	External HDD- 2TB Portable Harddisk	1 No
2	Ethernet card-Interface — 32-bit PCIe interface 10/100/1000Mbps RJ45PCIe Adapter, saving the finite chassis space Automization — Wake-on-LAN, convenient to manage over LAN Data Rates — 10/100/1000 Mbps for Half-Duplex mode and 20/200/2000Mbps for Full-Duplex mode Flow Control — IEEE 802.3x Flow Control (Full-Duplex)	3 Nos
3	Cabinet with SMPS -Mid Tower With Inbuilt SMPS	2 Nos
4	External modems of at least two different makes and types- Broadband modem	1 No
5	COMBO drives atleast four different makes and types- Type of DVD -writer Internal Interface- SATA	1 No
6	HUB/Switch- Auto-negotiates port speed to10 Mbps, 100 Mbps, or 1000 Mbps Plug & play installation Uses 802.3az Energy Efficient Ethernet to reduce power usage automatically without sacrificing performance IEEE 802.3x Flow Control No.of ports: 8/16	2 Nos
7	Modem (Internal & External)- Broadband modem	1 No
8	Motherboards (of different make)	4 Nos
9	Processors (of different make)	2 Nos
10	Hard Disk different types - 500 GB or better	2 Nos
11	Anti-static pads - Anti static pad black band pad - 140 mil nitrile	2 Nos

	rubber compound , resistivity - 107 ohm or higher	
12	Network storage - Usable Capacity 24TB or more, Scalability of Nodes 24 or more Automated Storage Tiering feature License Included, Number of Nodes - 2, Speed of Front end Ports - 40 Gbps, Scalability of Nodes - 100, Cache/Memory Offered - 64GB, Number of Cores per Sockets- 4, Warranty - 2 Years	1 No
13	Card Reader - Type of memory Card SDHC	2 Nos
14	Game video card - GPU clock 120 MHz Clock Speed or higher, memory interface 64-bit.64-bit, 16 GB GDDR4 Memory or higher	1 No
15	Surround sound speaker - Speaker Maximum Output Power 90 Watts Connectivity Technology Bluetooth Audio Output Mode Surround	1 No
16	Laptop spares - Cabinet with display, memory, hard disk, battery pack, keyboard membrane, chargers	3 Nos
17	Post error debugging card - Hardware Interface: PCI, Mini PCI Compatible Devices Personal Computer	1 No
18	PCI slot Testing tool - Supports Mini PCI, Mini PCI-E and LPC bus port. Mini PCI Port: Connect to notebook Mini PCI slot. Mini PCI-E Port: Connect to notebook Mini PCI-E slot. LPC Port: Connect to notebook LPC slot. Main Chipset: Processing Mini PCI, Mini PCI-E and LPC signal.	1 No
19	Wireless Network Adapter - Wireless N Nano USB Adapter Warranty : 1 year , Interface: USB, Bluetooth 4.2, Wireless Speed : 300Mbps	1 No
20	UTP jack panel -Cable Interface Ethernet Number of Ports/Connectors 8/16/24	1 No
21	Switch with POE ports - Network Port 8 10/100Mbps PoE RJ45 port (port 1 -port 8) Performance Bandwidth: 5.6Gbps (no block) , Frames filter and transfer rate , 100M port maximum 148,800pps	1 No
22	POE adapters - PoE Injector Adapter/10/100/1000/Deliver power Upto 100meter /1000BaseT	2 Nos

- Cost of Tender Form : ₹500+18% GST
EMD : ₹2316/-
Last date of sale of tender form : 26/02/2026 3 PM
Last date of receipt of tender : 26/02/2026 5 PM
Date & time of opening of tender : 27/02/2026 4 P M

The cost of the Tender Forms will be accepted only by Cash or Money Order. The Tender should be superscribed with Tender number and date addressed to the Principal, Govt. ITI Nagalassery, Velliyamkallu, Thrithala P.O, Palakkad, Pin-679534. Late Tenders will not be accepted. Tender will be subjected to latest Store Purchase manual related rules. There must be a validy period of two months from the date of opening the Tenders. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth ₹200/-, If stamp paper is needed for companies out side kerala, the stamp paper will be sent across on receipt of ₹230/- by Money order. More details can be had from the office on all working days at prescribed office hours.


Principal 11/2/2026

PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist), Kerala - 679534



Govt ITI Nagalassery
Velliyamkallu, Thrithala P O, Palakkad -679534 Kerala
email : itinagalassery@gmail.com

No. ITI/NGLY/262/2025-B

Dated: 11/02/2026

Tender Notice

Sealed competitive tenders are invited from approved firms/companies/traders for the supply of **Trainer kit for IT trade.**

Sl No	Tender No, Opening date and Amount	Items	Cost of original form	Cost of duplicate form
1	2	3	4	5
1	ITI/NGLY/262/2025-B @27 /02/2026 ,3 P M Rs. 1,31,000/-	Trainer kit	Rs.400/-+ GST @18%	Rs.200/- + GST@18%

EMD : Rs.1500/-

Tender forms will be available at : **Govt ITI Nagalassery**

Due date for the receipt of tenders : **26/02/2026, 05.00 p.m**

Due date for the opening of tenders : **27/02/2026, 03.00 p.m**

Date up to which the rates are to be remained same : **27/04/2026**

Name and designation of the officer to whom the the tenders are to be submitted : **Smt. Geetha P, Principal, Govt. ITI Nagalassery**




Principal

PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist), Kerala - 679534

INDUSTRIAL TRAINING DEPARTMENT

TENDER NOTICE

No:ITI/NGLY/262/2025-B

Dated:11/02/2026

Sealed competitive tenders are invited for supplying the following items for Information Technology Trade, Govt.ITI Nagalassery, Velliyamkallu,Thrithala .P.O, Palakkad, Pin-679534. The Items should be supplied at the store.

SI No	Name of items and specifications	Quantity
1	Digital trainer kit -Breadboard for Circuit design with necessary DC Power Supply, Graphical LCD, Clock Frequency 4 different steps,Data Switches: 8 Nos, LED Display: 8 Nos. (TTL), Seven Segment Display, With Instruction Manual,1 year warranty	2 Nos
2	UPS Trainer kit -Output Voltage:230 V AC Nominal, Input Voltage : +12V DC Battery. Capacity : 500VA, Output Frequency : 50 Hz Accuracy : + 5%. Switching : Automatic. Backup time : 12 Minutes.	1 No
3	Power electronics Trainer kit - Needs the provision for pre wired circuit of relaxation oscillator circuit, Regulator circuit,hyristor based power supply circuit DC supply : + 12V, 500mA,Unregulated Power supply 17V /750mA On board Inverter transformer of Primary: & Secondaries: 12-11-0-11-12/3A, With Instruction Manual,1 year warranty	1 No
4	Network Training System - Support for different topologies such as bus, ring and star With Instruction Manual,1year warranty	1 No

Tender Notice Number : ITI/NGLY/262/2025-B
 Cost of Tender Form : ₹400+18% GST
 EMD : ₹1500/-
 Last date of sale of tender form : 26/02/2026 3 PM
 Last date of receipt of tender : 26/02/2026 5 PM
 Date & time of opening of tender : 27/02/2026 4 P M

The cost of the Tender Forms will be accepted only by Cash or Money Order. The Tender should be superscribed with Tender number and date addressed to the Principal,

Govt.ITI Nagalassery, Velliyamkallu,Thrithala P.O,Palakkad,Pin-679534. Late Tenders will not be accepted. Tender will be subjected to latest Store Purchase manual related rules. There must be a validly period of two months from the date of opening the Tenders. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth ₹200/-, If stamp paper is needed for companies out side kerala, the stamp paper will be sent across on receipt of ₹230/- by Money order. More details can be had from the office on all working days at prescribed office hours.



Principal
11/2/2016

PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist); Kerala - 679534

INDUSTRIAL TRAINING DEPARTMENT
TENDER NOTICE

No:ITI/NGLY/268/2025-B

Dated:11/02/2026

Sealed competitive tenders are invited for supplying the following items for Govt.ITI Nagalassery, Velliyamkallu,Thrithala .P.O,Palakkad,Pin-679534. The Items should be supplied at the store.

SI No	Name of items and specifications	Quantity
1	Digital Multimeter-hand held - DC Voltage Range 600 Volt DC Voltage resolution 1 millivolt AC Voltage Range 750 Volt AC Voltage Accuracy 0.5 percent DC Current Range 10 Ampere AC Current Range 10 Ampere Resistance Range 100 megaOhm Type Hand Held Display (Digits) 4	7 Nos
2	DC & AC ammeter (table model for lab experiments) - Analog type-0-50mA	2 Nos
3	DC & AC ammeter (table model for lab experiments) - Analog type-0-500mA	2 Nos
4	DC & AC ammeter (table model for lab experiments) - Analog type- 0-1mA	2 Nos
5	LCR meter - 4 1/2 digits, 1pF to 2000uF. 0.1 ohm to 200Mohm, 0.1H to 2000H.Digital hand held	3 Nos
6	Dual Trace Oscilloscope - CRO Dual Trace 20 MHz (component testing facilities) DC -20MHz Bandwidth, 2mV/Div to 5 V/Div Sensitivity on Both Channels CH1,CH2 (Independent Channels), CH1 & CH2 (Alternate / CHOP), CH2 INVT, ADD and SUBTRACT , X-Y Operation MAINS Trigger, Variable Hold Off, Built-in Component Tester / Comparator	2 Nos
7	Logic Probes/Logic Pulser - Instant indication and pulse memory function.Supply: 3-18 VDC High frequency response, with LED light indicating logic level and pulse (HI (Red LED), LO (green LED)).Used for DTL, TTL and CMOS	2 Nos

8	Digital IC tester -Power Source Corded Electric Style Digital 40 pins up to 20 pins 16x2 Backlit Alphanumeric LCD DISPLAYDIGITAL IC RANGE: 74 series of TTL ICs, 40 and 45 series of CMOS Ics, Microprocessors (8085,8086,8088,Z80,6502) Peripheral ICs (8255,8253,8251,8259,8155,8279,Z80 PIO) EPROMs	1 No
9	Analog Multimeter - Analog multimeters DC Voltage:0 to 2.5/10/50/250/1000V, AC Voltage: 20mV,200mV, 10/50/250/1000V, DC Current: 200 microA/2.5mA/25mA/10A. Resistance: 0 to 2K/20K/2M/20MΩ, Sensitivity - Not less than 50 Kilo Ohm/Volt for DC, Diode Test and Continuity Test Facility:with detachable CAT III 600V/10A high quality test leads.Battery Type : 9V Alkaline (optional) Warranty 1 year	2 Nos
10	Megger - 500V Analog type measurement with insulation resistance upto 1000MΩ, hand driven type, ohm meter measurement type, complete with wearing case	1 No
11	Power Meter -Analog Power meter/ Wattmeter Range: 100W250V and upto.0.4A or 400mA Single element type for single phase A.C. measurements.	2 Nos
12	SMPS Tester - Measurement Range:+12V,-12V +5V,-5V +3.3V, 5V,Type:Analog/Digital	2 Nos
13	Fluke Meter - Multimeter- Fluke make DC Voltage Range 600 Volt DC Voltage resolution 1 milliVolt, AC Voltage Range 750 Volt AC Voltage Accuracy 0.5 percent ,DC Current Range 10 Ampère AC Current Range 10 Ampère ,Resistance Range 100 megaOhm ,Type Hand HeldDisplay (Digits) 4	1 No

Tender Notice Number : ITI/NGLY/268/2025-B
Cost of Tender Form : ₹700+18% GST
EMD : ₹3250/-
Last date of sale of tender form : 26/02/2026 3 PM
Last date of receipt of tender : 26/02/2026 5 PM
Date & time of opening of tender : 27/02/2026 4 P M

The cost of the Tender Forms will be accepted only by Cash or Money Order. The Tender should be superscribed with Tender number and date addressed to the Principal, Govt. ITI Nagalassery, Velliyamkallu, Thrithala P.O, Palakkad, Pin-679534. Late Tenders will not be accepted. Tender will be subjected to latest Store Purchase manual related rules. There must be a validy period of two months from the date of opening the Tenders. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp

Paper worth ₹200/-, If stamp paper is needed for companies out side kerala, the stamp paper will be sent across on receipt of ₹230/- by Money order. More details can be had from the office on all working days at prescribed office hours.


Principal



PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist), Kerala - 679534

Govt ITI Nagalassery
Velliyamkallu, Thrithala P O, Palakkad -679534 Kerala
email : itinagalassery@gmail.com

No.ITI/NGLY/269/2025-B

Dated: 11/02/2026

Tender Notice

Sealed competitive tenders are invited from approved firms/companies/traders for the supply of **Other Electronics Equipments for IT trade.**

Sl No	Tender No, Opening date and Amount	Items	Cost of original form	Cost of duplicate form
1	2	3	4	5
1	ITI/NGLY/269/2025-B @27/02/2026 ,3 P M Rs.2,35,000/-	Other electronic equipments	Rs.500/-+ GST @18%	Rs.300/- + GST@18%

EMD

: Rs.2350/-

Tender forms will be available at : **Govt ITI Nagalassery**

Due date for the receipt of tenders : **26/02/2026, 05.00 p.m**

Due date for the opening of tenders : **27/02/2026, 03.00 p.m**

Date up to which the rates are to be remained same : **27/04/2026**

Name and designation of the officer to whom the the tenders are to be submitted : **Smt. Geetha P, Principal, Govt. ITI Nagalassery**



Principal *[Signature]*

PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist), Kerala - 679534

INDUSTRIAL TRAINING DEPARTMENT
TENDER NOTICE

No:ITIT/269/2025-B

Dated:11/02/2026

Inform and competitive tenders are invited for supplying the following items for
Technology Trade, Govt.ITI Nagalassery, Velliyamkallu,
Thritho, Palakkad, Pin-679534. The Items should be supplied at the store.

Name of items and specifications	Quantity
SMD soldering/desoldering station - SMD Soldering & De soldering Station with necessary accessories Suitable for SOIC, QFP, PLCC, BGA, SOJ, etc. with its nozzles, Anti-Static, ESD Safe Maximum power consumption: 320W **Air temperature: 100°C - 480°C or 212°F to 896°F, with Stand and sponge, Digital Display for Temperature and Air Pressure	1 No
Battery storage lead acid - 6V & 12 V , 4.5Ah	2 Nos
Maintenance Free Battery - 12V	2 Nos
Battery charger - Battery Charger 6V X 4 Battery, 12V X 2 Battery Input Volt-230 AC,50 Hz Output volt- 0-6-9-12-24-48 V, current-30A max, circuit breaker,Reverse polarity and overload protection, Rotary switch to select volt & Amp.input & output, fuse,pilot light,Main Switch,+/- Knob,Diode circuit, Built in Ammeter & Voltmeter,screw type Tough insulated battery connection clips, separate High current withstanding connecting wires with crocodile clip Warranty 1 year	1 No
Pulse Generator - Pulse 10Hz to 10MHz in 6 ranges & variable control pulse width: 50ns - 50ms in 6 ranges & variable control normally upto 80%, 50% at 10MHz- duty cycle output mode: normal, Invert, Square Output amplitude: 10Vpp Open circuit and 5Vpp with 5Ω	1 Nos
Regulated DC Power Supply - 0-30V 2Amp, power supply,continuously variable by means of coarse and fine controls , Load Regulation: ± (0.05 % + 10 mV) Line Regulation : (0.05%+10 mV) Display : 3 digit for voltage & 3 digit for current LED indication for Voltage & Current Built-in Over Voltage and Short Circuit protection. Ac input 230 V, ±10%, 50 / 60 Hz with	5 Nos

	Mains cord
7	DC regulated power supply - 5 volts and 12 volts

1No

Tender Notice Number : ITI/NGLY/269/2025-B
 Cost of Tender Form : ₹500+18% GST
 EMD : ₹2350/-
 Last date of sale of tender form : 26/02/2026 3 PM
 Last date of receipt of tender : 26/02/2026 5 PM
 Date & time of opening of tender : 27/02/2026 4 P M

The cost of the Tender Forms will be accepted only by Cash or Money order. The Tender should be superscribed with Tender number and date addressed to the Principal, Govt. ITI Nagalassery, Velliyamkallu, Thrithala P.O, Palakkad, Pin-679534. Late tenders will not be accepted. Tender will be subjected to latest Store Purchase manual and its rules. There must be a validly period of two months from the date of opening of tenders. The tenders in original should be accompanied with preliminary agreement in a Stamp Paper worth ₹200/-. If stamp paper is needed for companies out side Kerala, the stamp paper will be sent across on receipt of ₹230/- by Money order. More details can be had from the office on all working days at prescribed office hours.



[Handwritten Signature]
Principal

PRINCIPAL
 Govt. ITI Nagalassery
 Velliyamkallu, Thrithala P.O
 Palakkad (Dist), Kerala - 679534

Govt ITI Nagalassery
Velliyamkallu, Thrithala P O, Palakkad -679534 Kerala
email : itinagalassery@gmail.com

No. ITI/NGLY/267/2025-B

Dated: 10/02/2026

Tender Notice

Sealed competitive tenders are invited from approved firms/companies/traders for the supply of **Trainees tool kit for IT trade.**

SI No	Tender No, Opening date and Amount	Items	Cost of original form	Cost of duplicate form
1	2	3	4	5
1	ITI/NGLY/267/2025-B @26/02/2026 ,3 P M Rs. 1,51,050/-	Trainees tool kit	Rs.400/-+ GST @18%	Rs.200/- + GST@18%

EMD : **Rs.1510/-**


Tender forms will be available at : **Govt ITI Nagalassery**

Due date for the receipt of tenders : **25/02/2026, 05.00 p.m**

Due date for the opening of tenders : **26/02/2026, 03.00 p.m**

Date up to which the rates are to be remained same : **26.04.2026**

Name and designation of the officer to whom the the tenders are to be submitted : **Smt. Geetha P, Principal, Govt. ITI Nagalassery**



Geetha P
10/2/2026
Principal
PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist), Kerala - 679534

INDUSTRIAL TRAINING DEPARTMENT

TENDER NOTICE

No:ITI/NGLY/267/2025-B


Dated:10/02/2026

Sealed competitive tenders are invited for supplying the following items for Govt.ITI Nagalassery, Velliyamkallu,Thrithala .P.O,Palakkad,Pin-679534. The Items should be supplied at the store.

Sl No	Name of items and specifications	Quantity
1	Knife double bladed electrician- "Material: Alloy Steel, Iron Item Dimensions : LxWxH 50 x 50 x 50 Millimeters Handle Material: Wood Blade Material : Stainless Steel Item Weight: 300 Grams Style: Modern Item Length 5 Centimeters: "	15 Nos
2	Insulated handle thin connector screw driver- Connecting screwdriver 100 mm Stem insulated with plastic handle,tip dimension(3.0mm X 0.4mm) IS 844	15 Nos
3	Heavy duty screw driver- hammer head screw driver with magnetic tip heavy duty 12 mm thickness	15 Nos
4	Phillips type screw driver set- Type: Combination Pack of 5, Tip Type: Phillips	15 Nos
5	Screw driver set- Screw driver set (set of 5) -1 Flat 3.5x0.5, 1 Flat 4.3x0.6, 1Flat 6x0.8, 1 Phillips No.1, 1 Phillips No.2, 1 Poker Round, 1 Poker Square,HANDLE	6 Nos
6	Electrician knife- Electrician knife Folded Type Unfolded length 100mm, with insulated handle, stainless steel blade.	15 Nos
7	Magneto spanner set- Material : Alloy Steel set of 8 spanners	1No
8	Cold chisel - Alloy steel 20 mm,Length of blade – 28mm Types of cold chisel-Flat	1 No
9	Computer Tool kit for students- Professional Computer Repair Tool Kit should include Screddrivers, Nut drivers, screw drivers, IC extractors,Tweezers, etc	19 Nos
10	Laptop kits- Precision Screwdriver Set of different sizes, Magnetic, Non-Slip Grip,with suction cup, spudgers,Laptop kit for Screwdriving, Maintenance, Assembly	12 Nos

Tender Notice Number : ITI/NGLY/267/2025-B
Cost of Tender Form : ₹400+18% GST
EMD : ₹1510/-
Last date of sale of tender form : 25/02/2026 3 PM
Last date of receipt of tender : 25/02/2026 5 PM
Date & time of opening of tender : 26/02/2026 3 P M

The cost of the Tender Forms will be accepted only by Cash or Money Order. The Tender should be superscribed with Tender number and date addressed to the Principal, Govt. ITI Nagalassery, Velliyamkallu, Thrithala P.O, Palakkad, Pin-679534. Late Tenders will not be accepted. Tender will be subjected to latest Store Purchase manual related rules. There must be a validy period of two months from the date of opening the Tenders. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth ₹200/-, If stamp paper is needed for companies out side kerala, the stamp paper will be sent across on receipt of ₹230/- by Money order. More details can be had from the office on all working days at prescribed office hours.


Principal 10/2/2026



PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala P.O
Palakkad (Dist), Kerala - 679534

3-41

വ്യാവസായിക പരിശീലന വകുപ്പ്
ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/NGLY/261/2025-B

തീയതി: 11/02/2026

പാലക്കാട് ജില്ലയിലെ നാഗലശ്ശേരി ഗവ: ഐ ടി ഐ യിലെ ഇൻഫർമേഷൻ ടെക്നോളജി ട്രെയിനേജ് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ക്ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ നാഗലശ്ശേരി ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

7

SI No	Name of items and specifications	Quantity
1	External HDD- 2TB Portable Harddisk	1 No
2	Ethernet card-Interface --- 32-bit PCIe interface 10/100/1000Mbps RJ45PCIe Adapter, saving the finite chassis space Automization --- Wake-on-LAN, convenient to manage over LAN Data Rates --- 10/100/1000 Mbps for Half-Duplex mode and 20/200/2000Mbps for Full-Duplex mode Flow Control --- IEEE 802.3x Flow Control (Full-Duplex)	3 Nos
3	Cabinet with SMPS - Mid Tower With Inbuilt SMPS	2 Nos
4	External modems of at least two different makes and types- Broadband modem	1 No
5	COMBO drives atleast four different makes and types- Type of DVD -writer Internal Interface- SATA	1 No
6	HUB/Switch- Auto-negotiates port speed to10 Mbps, 100 Mbps, or 1000 Mbps Plug & play installation Uses 802.3az Energy Efficient Ethernet to reduce power usage automatically without sacrificing performance IEEE 802.3x Flow Control No.of ports: 8/16	2 Nos

7	Modem (Internal & External) - Broadband modem	1 No
8	Motherboards (of different make)	4 Nos
9	Processors (of different make)	2 Nos
10	Hard Disk different types - 500 GB or better	2 Nos
11	Anti-static pads - Anti static pad black band pad - 140 mil nitrile rubber compound , resistivity - 107 ohm or higher	2 Nos
12	Network storage - Usable Capacity 24TB or more, Scalability of Nodes-24 or more Automated Storage Tiering feature License Included, Number of Nodes - 2, Speed of Front end Ports - 40 Gbps, Scalability of Nodes - 100, Cache/Memory Offered - 64GB, Number of Cores per Sockets- 4, Warranty - 2 Years	1 No
13	Card Reader - Type of memory Card SDHC	2 Nos
14	Game video card - GPU clock 120 MHz Clock Speed or higher, memory interface 64 bit. 64-bit, 16 GB GDDR4 Memory or higher	1 No
15	Surround sound speaker - Speaker Maximum Output Power 90 Watts Connectivity Technology Bluetooth Audio Output Mode Surround	1 No
16	Laptop spares - Cabinet with display, memory, hard disk, battery pack, keyboard membrane, chargers	3 Nos
17	Post error debugging card - Hardware Interface: PCI, Mini PCI Compatible Devices Personal Computer	1 No
18	PCI slot Testing tool - Supports Mini PCI, Mini PCI-E and LPC bus port. Mini PCI Port: Connect to notebook Mini PCI slot. Mini PCI-E Port: Connect to notebook Mini PCI-E slot. LPC Port: Connect to notebook LPC slot. Main Chipset: Processing Mini PCI, Mini PCI-E and LPC signal.	1 No
19	Wireless Network Adapter - Wireless N Nano USB Adapter Warranty : 1 year , Interface: USB, Bluetooth 4.2, Wireless	1 No

	Speed :300Mbps	
20	UTP jack panel-Cable Interface Ethernet Number of Ports/Connectors 8/16/24	1 No
21	Switch with POE ports - Network Port 8 10/100Mbps PoE RJ45 port (port 1~port 8) Performance Bandwidth: 5.6Gbps (no block) ,Frames filter and transfer rate ,100M port maximum 148,800pps	1 No
22	POE adapters - PoE Injector Adapter/10/100/1000/Deliver power Upto 100meter /1000BaseT	2 Nos

ദർഘാസ് നമ്പർ : ITI/NGLY/261/2025-B

ദർഘാസ് വില : ₹500+GST 18%


നിരത രൂപ്യം : ₹2316/-


ദർഘാസ് വിൽപ്പനയുടെ അവസാന തീയതി , സമയം : 26/02/2026 3PM

മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി , സമയം : 26/02/2026 5 PM

ദർഘാസുകൾ തുറക്കുന്ന തീയതി , സമയം : 27/02/2026 3PM

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 50 /-(അമ്പത്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെണ്ടറിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ രണ്ട് മാസം വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈ മാറാൻ പാടില്ല . ദർഘാസ് നമ്പർ , തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ , ഗവ. ഐ.ടി.ഐ നാഗലശ്ശേരി, വെള്ളിയാംകല്ല്, തൃത്താല P O ,പാലക്കാട് ,679534 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

പ്രിൻസിപ്പാൾ 
11/2/2026



പ്രിൻസിപ്പാൾ
ഗവ. ഐ.ടി.ഐ. നാഗലശ്ശേരി
വെള്ളിയാംകല്ല്, തൃത്താല പി.ഒ
പാലക്കാട് ജില്ല, പിൻ - 679 534

Govt ITI Nagalassery
Velliyamkallu, Thrithala P O, Palakkad -679534 Kerala
email : itinagalassery@gmail.com

No. ITI/NGLY/261/2025-B

Dated: 11/02/2026

Tender Notice

Sealed competitive tenders are invited from approved firms/companies/traders for the supply of **Computer related items** for **Information Technology trade**.

S/No	Tender No, Opening date and Amount	Items	Cost of original form	Cost of duplicate form
1	2	3	4	5
1	ITI/NGLY/261/2025-B @27 /02/2026 ,3 P M Rs. 2,31,600/-	Computer related items	Rs.500/-+ GST @18%	Rs.300/- + GST@18%

EMD : **Rs.2316/-**


Tender forms will be available at : **Govt ITI Nagalassery**


Due date for the receipt of tenders : **26/02/2026, 05.00 p.m**

Due date for the opening of tenders : **27/02/2026, 03.00 p.m**

Date up to which the rates are to be remained same : **27/04/2026**

Name and designation of the officer to whom the the tenders are to be submitted : **Smt. Geetha P, Principal, Govt. ITI Nagalassery**




Principal
PRINCIPAL
Govt. ITI Nagalassery
Velliyamkallu, Thrithala - PO
Palakkad (Dist), Kerala - 679534

വ്യാവസായിക പരിശീലന വകുപ്പ്
ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/NGLY/262/2025-B

തീയതി: 11/02/2026

പാലക്കാട് ജില്ലയിലെ നാഗലശ്ശേരി ഗവ: ഐ. ടി. ഐ. യിലെ ഇൻഫർമേഷൻ ടെക്നോളജി ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ നാഗലശ്ശേരി ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

Sl No	Name of items and specifications	Quantity
1	Digital trainer kit -Breadboard for Circuit design with necessary DC Power Supply, Graphical LCD, Clock Frequency 4 different steps,Data Switches: 8 Nos, LED Display: 8. Nos. (TTL), Seven Segment Display, With Instruction Manual,1 year warranty	2 Nos
2	UPS Trainer kit -Output Voltage:230 V AC Nominal, Input Voltage : +12V DC Battery. Capacity : 500VA, Output Frequency : 50 Hz Accuracy : + 5%. Switching : Automatic. Backup time : 12 Minutes.	1 No
3	Power electronics Trainer kit - Needs the provision for pre wired circuit of relaxation oscillator circuit, Regulator circuit,hyristor based power supply circuit DC supply : + 12V, 500mA,Unregulated Power supply 17V /750mA On board Inverter transformer of Primary: & Secondaries: 12-11-0-11-12/3A, With Instruction Manual,1 year warranty	1 No
4	Network Training System - Support for different topologies such as bus, ring and star With Instruction Manual,1year warranty	1 No

8

ദർഘാസ് നമ്പർ : ITI/NGLY/262/2025-B

ദർഘാസ് വില : ₹400+GST 18%

നിരത ദ്രവ്യം : ₹1500/-

ദർഘാസ് വിൽപ്പനയുടെ അവസാന തീയതി, സമയം : 26/02/2026 3PM


മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി, സമയം : 26/02/2026 5 PM

ദർഘാസുകൾ തുറക്കുന്ന തീയതി, സമയം : 27/02/2026 3PM

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 50 /-(അമ്പത്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെണ്ടറിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ രണ്ട് മാസം വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറാൻ പാടില്ല. ദർഘാസ് നമ്പർ , തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. ഐ.ടി.ഐ നാഗലശ്ശേരി, വെള്ളിയാങ്കല്ല്, തൃത്താല P.O , പാലക്കാട് , 679534 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

(Handwritten Signature)
പ്രിൻസിപ്പാൾ

പ്രിൻസിപ്പാൾ
ഗവ. ഐ.ടി.ഐ. നാഗലശ്ശേരി
വെള്ളിയാങ്കല്ല്, തൃത്താല പി.ഒ
പാലക്കാട് ജില്ല, പിൻ - 679 534



Govt ITI Nagalassery
 Velliyamkallu, Thrithala P.O, Palakkad -679534 Kerala
 email : itinagalassery@gmail.com

നമ്പർ: ITI/NGLY/268/2025-B

തീയതി: 11/02/2026

Tender Notice

ഇൻഫർമേഷൻ ടെക്നോളജി ട്രേഡിലേക്ക് മെഷറിങ് ഇൻസ്ട്രുമെന്റ്സ് വിതരണം ചെയ്യുന്നതിന് അംഗീകരിക്കപ്പെട്ട സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വെച്ച മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ ,ദർഘാസ് തുറക്കുന്ന തീയതിയും തുകയും	ഇനങ്ങൾ	ഒറിജിനൽ ഫോറത്തിന്റെ വില	ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില
1	2	3	4	5
1	ITI/NGLY/268/2025-B @27/02/2026 ,3 P M Rs. 3,25,000/-	Measuring instruments	Rs.700/-+ GST @18%	Rs.400/- + GST@18%

- നിരത ദ്രവ്യം : Rs.3250/-
- ദർഘാസ് ഫോറങ്ങൾ ലഭ്യമാകുന്ന സ്ഥലം : Govt ITI Nagalassery
- ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി : 26/02/2026, 05.00 p.m
- ദർഘാസുകൾ തുറക്കുന്ന തീയതി : 27/02/2026, 03.00 p.m
- നിരക്കുകൾ പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കേണ്ട അവസാന ദിവസം : 27/04/2026
- ദർഘാസുകൾ സ്വീകരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ പേരും വിലാസവും : Smt. Geetha P,

Principal, Govt. ITI Nagalassery


Principal



പ്രിൻസിപ്പാൾ
 ഗവ.ഐ.ടി.ഐ. നാഗലശ്ശേരി
 വെള്ളിയാകല്ല്, മൂത്താല പി.ഒ
 പാലക്കാട് ജില്ല, പ്രിൻ - 679 534

വ്യാവസായിക പരിശീലന വകുപ്പ്

ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/NGLY/268/2025-B

തീയതി: 11/02/2026

പാലക്കാട് ജില്ലയിലെ നാഗലശ്ശേരി ഗവ: ഐ ടി ഐ യിലെ ഇൻഫർമേഷൻ ടെക്നോളജി ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ നാഗലശ്ശേരി ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

SI No	Name of items and specifications	Quantity
1	Digital Multimeter-hand held - DC Voltage Range 600 Volt DC Voltage resolution 1 millivolt AC Voltage Range 750 Volt AC Voltage Accuracy 0.5 percent DC Current Range 10 Ampère AC Current Range 10 Ampère Resistance Range 100 megaOhm Type Hand Held Display (Digits) 4	7 Nos
2	DC & AC ammeter (table model for lab experiments)- Analog type-0-50mA	2 Nos
3	DC & AC ammeter (table model for lab experiments)- Analog type-0-500mA	2 Nos
4	DC & AC ammeter (table model for lab experiments) - Analog type- 0-1mA	2.Nos
5	LCR meter- 4 1/2 digits, 1pF to 2000uF. 0.1 ohm to 200Mohm, 0.1H to 2000H.Digital hand held	3 Nos
6	Dual Trace Oscilloscope - CRO Dual Trace 20 MHz (component testing facilities) DC -20MHz Bandwidth, 2mV/Div to 5 V/Div Sensitivity on Both Channels CH1,CH2 (Independent Channels), CH1 & CH2 (Alternate / CHOP), CH2 INVT, ADD and SUBTRACT , X-Y Operation MAINS Trigger, Variable Hold Off, Built-in Component Tester / Comparator	2 Nos

7	Logic Probes/Logic Pulser - Instant indication and pulse memory function. Supply: 3-18 VDC High frequency response, with LED light indicating logic level and pulse (HI (Red LED), LO (green LED)). Used for DTL, TTL and CMOS	2 Nos
8	Digital IC tester - Power Source Corded Electric Style Digital 40 pins up to 20 pins 16x2 Backlit Alphanumeric LCD DISPLAY DIGITAL IC RANGE: 74 series of TTL ICs, 40 and 45 series of CMOS Ics, Microprocessors (8085,8086,8088,Z80,6502) Peripheral ICs (8255,8253,8251,8259,8155,8279,Z80 PIO) EPROMs	1 No
9	Analog Multimeter - Analog multimeters DC Voltage: 0 to 2.5/10/50/250/1000V, AC Voltage: 20mV, 200mV, 10/50/250/1000V, DC Current: 200 microA/2.5mA/25mA/10A. Resistance: 0 to 2K/20K/2M/20MΩ, Sensitivity - Not less than 50 Kilo Ohm/Volt for DC, Diode Test and Continuity Test Facility with detachable CAT III 600V/10A high quality test leads. Battery Type : 9V Alkaline (optional) Warranty 1 year	2 Nos
10	Megger - 500V Analog type measurement with insulation resistance upto 1000MΩ, hand driven type, ohm meter measurement type, complete with wearing case	1 No
11	Power Meter - Analog Power meter/ Wattmeter Range: 100W 250V and upto 0.4A or 400mA Single element type for single phase A.C. measurements.	2 Nos
12	SMPS Tester - Measurement Range: +12V, -12V +5V, -5V +3.3V, 5V, Type: Analog/Digital	2 Nos
13	Fluke Meter - Multimeter- Fluke make DC Voltage Range 600 Volt DC Voltage resolution 1 millivolt, AC Voltage Range 750 Volt AC Voltage Accuracy 0.5 percent, DC Current Range 10 Ampere AC Current Range 10 Ampere, Resistance Range 100 megaOhm, Type Hand Held Display (Digits) 4	1 No

ദർഘാസ് വില : ₹700+GST 18%


നിരത ദ്രവ്യം : ₹3250/-

ദർഘാസ് വിൽപ്പനയുടെ അവസാന തീയതി , സമയം : 26/02/2026 3PM
മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി , സമയം : 26/02/2026 5 PM
ദർഘാസുകൾ തുറക്കുന്ന തീയതി , സമയം : 27/02/2026 3PM

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 50 /-(അമ്പത്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെണ്ടറിൻറെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ രണ്ട് മാസം വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈ മാറാൻ പാടില്ല . ദർഘാസ് നമ്പർ , തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ , ഗവ. ഐ.ടി.ഐ നാഗലശ്ശേരി, വെള്ളിയാംകല്ല്, തൃത്താല P O ,പാലക്കാട് ,679534 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

[Handwritten Signature]
പ്രിൻസിപ്പാൾ

പ്രിൻസിപ്പാൾ
ഗവ.ഐ.ടി.ഐ. നാഗലശ്ശേരി
വെള്ളിയാംകല്ല്, തൃത്താല പി.ഒ
പാലക്കാട് ജില്ല, പിൻ - 679 534



വ്യാവസായിക പരിശീലന വകുപ്പ്
ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/NGLY/269/2025-B

തീയതി: 11/02/2025

പാലക്കാട് ജില്ലയിലെ നാഗലശ്ശേരി ഗവ: ഐ ടി ഐ യിലെ ഇ ടെക്നോളജി ഡേവിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം സീലിച്ചുവെച്ച ഭർത്താക്കൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ നാഗലശ്ശേരി സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.


പ്രമുഖൻ
നന്തിന്
പി.ഐ

Sl No	Name of items and specifications	Quar
1	SMD soldering/desoldering station - SMD Soldering & Desoldering Station with necessary accessories Suitable for SOIC, QFP, PLCC, BGA, SOJ, etc. with its nozzles, Anti-Static, ESD Safe Maximum power consumption: 320W **Air temperature: 100°C - 480°C or 212°F to 896°F, with Stand and sponge, Digital Display for Temperature and Air Pressure	1 N
2	Battery storage lead acid - 6V & 12 V , 4.5Ah	2 IN
3	Maintenance Free Battery - 12V	
4	Battery charger - Battery Charger 6V X 4 Battery, 12V X 2 Battery Input Volt-230 AC, 50 Hz Output volt- 0-6-9-12-24-48 V, current-30A max, circuit breaker, Reverse polarity and overload protection, Rotary switch to select volt & Amp. input & output, Fuse, pilot light, Main Switch, +- Knob, Diode circuit, Built in Ammeter & Voltmeter, screw type Tough Insulated battery connection clips, separate High current withstanding connecting wires with crocodile clip Warranty 1 year	1
5	Pulse Generator - Pulse 10Hz to 10MHz in 6 ranges & variable control pulse width: 50ns - 50ms in 6 ranges & variable control Normally upto 80%, 50% at 10MHz- duty cycle output mode: Normal, Invert, Square Output	

Supply: 10Vpp Open circuit and 5Vpp with 5Ω	1 Nos
DC Power Supply - 0-30V 2Amp, power continuously variable by means of coarse and fine control, Load Regulation: ± (0.05 % + 10 mV) Line Regulation: ±(0.05%+10 mV) Display : 3 digit for voltage & 3 digit for current LED indication for Voltage & Current Built-in Voltage and Short Circuit protection. Ac input 230 V, 50/60 Hz with Mains cord	5 Nos
Regulated power supply - 5 volts and 12 volts	1No

Order No: ITI/NGLY/269/2025-B
 Price: ₹500+GST.18%
 Total: ₹2350/-
 Date of purchase: 26/02/2026 3PM
 Date of receipt: 26/02/2026 5:PM
 Date of completion: 27/02/2026 3PM

റെഗുലേറ്റഡ് പവർ സപ്ലൈ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ.
 റെഗുലേറ്റഡ് 50 /-(അമ്പത്) രൂപ മാത്രം റെഗുലാസ് വിലക്ക് പുറമേ
 ₹. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക
 റെസിപ്റ്റിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. റെഗുലാസിൽ കാണിച്ചിരിക്കുന്ന
 തുറക്കുന്ന തീയതി മുതൽ രണ്ട് മാസം വരെ പ്രാബല്യം
 തുടരുന്നു. റെഗുലാസ് പ്രമാണം കൈമാറാൻ പാടില്ല. റെഗുലാസ് നമ്പർ
 രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. ഐ.ടി.ഐ
 ഇളിയാംകുളി, തൃത്താല P O ,പാലക്കാട് ,679534 എന്ന വിലാസത്തിൽ


 പ്രിൻസിപ്പാൾ



പ്രിൻസിപ്പാൾ
 ഗവ.ഐ.ടി.ഐ. നാഗലശ്ശേരി
 വെള്ളിയാംകുളി, തൃത്താല പി.ഒ.
 പാലക്കാട് ജില്ല, പിൻ-679534

Govt. ITI Nagalassery
 Velliyamkallu, Thrithala P.O, Palakkad -679534 Kerala
 email : itinagalassery@gmail.com

നമ്പർ: ITI/NGLY/267/2025-B

തീയതി: 10/02/2026

Tender Notice

ഇൻഫർമേഷൻ ടെക്നോളജി ട്രേഡിലേക്ക് ട്രെയിനീസ് ടൂൾ കിറ്റ് വിതരണം ചെയ്യുന്നതിന് അംഗീകരിക്കപ്പെട്ട സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വെച്ച മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ക്രമ നമ്പർ	ദർഘാസ നമ്പർ ,ദർഘാസ തുറക്കുന്ന തീയതിയും തുകയും	ഇനങ്ങൾ	ഒറിജിനൽ ഫോറത്തിന്റെ വില	ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില
1	2	3	4	5
1	ITI/NGLY/267/2025-B @26/02/2026 ,3 P M Rs. 1,51,050/-	Trainees tool kit	Rs.400/-+ GST @18%	Rs.200/- + GST@18%

നിരത ദ്രവ്യം : Rs.1510/-
 ദർഘാസ ഫോറങ്ങൾ ലഭ്യമാകുന്ന സ്ഥലം : Govt ITI Nagalassery
 ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി : 25/02/2026, 05.00 p.m
 ദർഘാസുകൾ തുറക്കുന്ന തീയതി : 26/02/2026, 03.00 p.m
 നിരക്കുകൾ പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കേണ്ട അവസാന ദിവസം : 26.04.2026
 ദർഘാസുകൾ സ്വീകരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ പേരും വിലാസവും : Smt. Geetha P,

Principal, Govt. ITI Nagalassery



Principal *Geetha P*
10/2/25

പ്രിൻസിപ്പാൾ
 ഗവ. സി. ഐ. മാനലശ്ശേരി
 വെള്ളിയാംകുന്ന്, മുത്താല പി.ഒ.
 പാലക്കാട് ജില്ല, പിൻ - 679 534

വ്യാവസായിക പരിശീലന വകുപ്പ്
ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/NGLY/267/2025-B

തീയതി: 10/02/2025

പാലക്കാട് ജില്ലയിലെ നാഗലശ്ശേരി ഗവ: ഐ ടി ഐ യിലെ ഇൻഫർമേഷൻ ടെക്നോളജി ട്രെയിനിംഗ് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ നാഗലശ്ശേരി ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

Sl No	Name of items and specifications	Quantity
1	Knife double bladed electrician- "Material: Alloy Steel, Iron Item Dimensions : LxWxH 50 x 50 x 50 Millimeters Handle Material: Wood Blade Material : Stainless Steel Item Weight: 300 Grams Style: Modern Item Length 5 Centimeters: "	15 Nos
2	Insulated handle thin connector screw driver- Connecting screwdriver 100 mm Stem insulated with plastic handle,tip dimension(3.0mm X 0.4mm).IS 844	15 Nos
3	Heavy duty screw driver- hammer head screw driver with magnetic tip heavy duty 12 mm thickness	15 Nos
4	Phillips type screw driver set- Type: Combination Pack of 5, Tip Type: Phillips	15 Nos
5	Screw driver set- Screw driver set (set of 5) -1 Flat 3.5x0.5, 1 Flat 4.3x0.6, 1 Flat 6x0.8, 1 Phillips No.1, 1 Phillips No.2, 1 Poker Round, 1 Poker Square,HANDLE	6 Nos
6	Electrician knife- Electrician knife Folded Type Unfolded length 100mm, with insulated handle, stainless steel blade.	15 Nos
7	Magneto spanner set- Material : Alloy Steel set of 8 spanners	1No
8	Cold chisel - Alloy steel 20 mm,Length of blade – 28mm Types of cold chisel-Flat	1 No

9	Computer Tool kit for students- Professional Computer Repair Tool Kit should include Screddrivers, Nut drivers, screw drivers, IC extractors,Tweezers, etc	19 Nos
10	Laptop kits- Precision Screwdriver Set of different sizes, Magnetic, Non-Slip Grip,with suction cup, spudgers,Laptop kit for Screwdriving, Maintenance, Assembly	12 Nos

ദർഘാസ് നമ്പർ : ITI/NGLY/267/2025-B

ദർഘാസ് വില : ₹400+GST 18%

നിരത ദ്രവ്യം : ₹1510/-

ദർഘാസ് വിൽപ്പനയുടെ അവസാന തീയതി, സമയം : 25/02/2026 3PM

മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി, സമയം : 25/02/2026 5 PM

ദർഘാസുകൾ തുറക്കുന്ന തീയതി, സമയം : 26/02/2026 3PM

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 50 /-(അമ്പത്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെണ്ടറിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ രണ്ട് മാസം വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈ മാറാൻ പാടില്ല . ദർഘാസ് നമ്പർ ,തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ , ഗവ. ഐ.ടി.ഐ നാഗലശ്ശേരി, വെള്ളിയാംകുല്ല്, തൃത്താല P O ,പാലക്കാട് ,679534 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

Signature
പ്രിൻസിപ്പാൾ 10/2/2026



പ്രിൻസിപ്പാൾ
ഗവ. ഐ.ടി.ഐ. നാഗലശ്ശേരി
വെള്ളിയാംകുല്ല്, തൃത്താല പി.ഒ
പാലക്കാട് ജില്ല, പിൻ-679 534